Appln. No. 11/575,263 Amd. dated February 26, 2009 Reply to Office Action dated November 26, 2008

## Amendments to the Claims:

 $\label{the claims} \mbox{ will replace all prior} \mbox{ versions, and listings, of claims in the application: }$ 

## Listing of Claims:

- 1-9 (Cancelled).
- 10. (Currently Amended) A method for proliferating or regenerating renal tissue or a cell present in renal tissue by contacting granuloyte colony-stimulating factor (G-CSF) in an effective amount for said regeneration, with the renal tissue or the cell present in renal tissue wherein the renal tissue is in a state of nephropathy or atherosclerotic nephropathy.
- 11. (Currently Amended) A method for treating a renal disease in a patient with <u>diabetic or atherosclerotic</u> nephropathy in need of said treatment, comprising

administering to said patient an effective amount of a eclony stimulating factor (CSF) (G-CSF) as an active ingredient in an amount effective or sufficient for the treatment of diabetic or atherosclerotic nephropathy.

12-15 (Cancelled).

Appln. No. 11/575,263 Amd. dated February 26, 2009 Reply to Office Action dated November 26, 2008

- 16. (Previously Presented) The method of claim 45 11 wherein the renal disease is diabetic nephropathy, and the effective amount is sufficient for the treatment of diabetic nephropathy.
- 17. (Previously Presented) The method of claim 45 11 wherein the renal disease is atherosclerotic nephropathy, and the effective amount is sufficient for the treatment of atherosclerotic nephropathy.
- 18. (Currently Amended) A method for repairing/regenerating renal tissue in a state of <u>diabetic or</u> atherosclerotic nephropathy,

comprising administering an effective amount therefor of (G-CSF) as an active ingredient.

- 19. (Cancelled).
- 20. (Previously Presented) The method of claim 10, wherein the renal tissue is an injured kidney, a necrotic kidney or a resected kidney.

Appln. No. 11/575,263 Amd. dated February 26, 2009 Reply to Office Action dated November 26, 2008

21. (Previously Presented) The method of claim 20, wherein the kidney is a kidney injured by a drug or necrosed by insufficient blood flow.

- 22. (New) The method of claim 10, wherein said effective amount is based on the G-CSF itself.
- 23. (New) The method of claim 11, wherein said effective amount is based on the G-CSF itself.

- 4 -